

FIG. 1 (Prior Art)



FIG. 2 (Prior Art)



FIG. 3

Express Mail No. EV339925425US

400

```
401  <?xml version="1.0" encoding="UTF-8"?>
402  <!DOCTYPE xsd:schema SYSTEM "Schema.dtd">
403  <xsd:schema
404  targetNamespace="http://www.fulldegree.com/Schema/Section/Container/Tent.
405  xsd" xmlns:bullets="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
406  xmlns:incl="http://www.fulldegree.com/Schema/System/Incl.xsd"
407  xmlns:spec="http://www.fulldegree.com/Schema/Lib/Specifications.xsd"
408  xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
409  xmlns="http://www.fulldegree.com/Schema/Section/Container/Tent.xsd"
410  xmlns:xsd="http://www.w3.org/2000/10/XMLSchema"
411  elementFormDefault="qualified">
412     <xsd:import namespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
413  schemaLocation="Bullets.xsd"/>
414     <xsd:import
415  namespace="http://www.fulldegree.com/Schema/Lib/Specifications.xsd"
416  schemaLocation="Specifications.xsd"/>
417     <xsd:import
418  namespace="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
419  schemaLocation="FullDegree.xsd"/>
420     <xsd:import
421  namespace="http://www.fulldegree.com/Schema/System/Incl.xsd"
422  schemaLocation="InfoAttr.xsd"/>

423     <xsd:element name="Container" nullable="true">
424        <xsd:complexType>
425           <xsd:sequence minOccurs="0">
426              <xsd:element ref="bullets:BulletPoints"/>
427              <xsd:element ref="Specifications"/>
428           </xsd:sequence>
429           <xsd:attribute ref="fd:Name" use="required"/>
430           <xsd:attribute ref="fd:NodeName" use="default" value="Tent"/>
431           <xsd:attribute ref="fd:Version" use="optional"/>
432           <xsd:attribute ref="fd:Language" use="optional"/>
433           <xsd:attribute ref="fd:NS" use="optional"/>
434           <xsd:attribute ref="fd:Path" use="required"/>
435        </xsd:complexType>
436     </xsd:element>
```

(File: Tent.xsd)

FIG. 4A

Attorney Docket No. 21525-0004

400

```
437     <xsd:element name="Specifications">
438       <xsd:complexType>
439         <xsd:sequence>
440           <xsd:element ref="Appearance" minOccurs="0"/>
441           <xsd:element ref="spec:Materials" minOccurs="0"/>
442         </xsd:sequence>
443         <xsd:attribute ref="fd:NodeName" use="optional"/>
444       </xsd:complexType>
445     </xsd:element>
446     <xsd:element name="Appearance">
447       <xsd:complexType>
448         <xsd:sequence>
449           <xsd:element ref="Measurements"/>
450           <xsd:element ref="spec:Colors" minOccurs="0"
451   maxOccurs="unbounded"/>
452           <!--xsd:element name="Sizes" minOccurs="0"
453   maxOccurs="unbounded"/-->
454         </xsd:sequence>
456       </xsd:complexType>
457     </xsd:element>
458     <xsd:element name="Measurements">
459       <xsd:complexType>
460         <xsd:sequence>
461           <xsd:element ref="Capacity"/>
462         </xsd:sequence>
463         <xsd:attribute ref="fd:NodeName" use="optional"/>
464       </xsd:complexType>
465     </xsd:element>
466     <xsd:element name="Capacity">
467       <xsd:complexType>
468         <xsd:simpleContent>
469           <xsd:restriction base="xsd:int">
470             <xsd:minInclusive value="0"/>
471             <xsd:attribute ref="fd:NodeName" use="required"/>
472           </xsd:restriction>
473         </xsd:simpleContent>
474       </xsd:complexType>
475     </xsd:element>
476   </xsd:schema>
```

(File: Tent.xsd)

FIG. 4B

Patent Application Publication

500

```
501  <?xml version="1.0" encoding="UTF-8"?>
502  <!DOCTYPE xsd:schema SYSTEM "Schema.dtd">
503  <xsd:schema
504  targetNamespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
505  xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
506  xmlns="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
507  xmlns:xsd="http://www.w3.org/2000/10/XMLSchema"
508  elementFormDefault="qualified">
509     <xsd:import
510  namespace="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
511  schemaLocation="FullDegree.xsd"/>
512     <xsd:element name="BulletPoints">
513        <xsd:complexType>
514           <xsd:sequence>
515              <xsd:element ref="Collect" maxOccurs="unbounded"/>
516           </xsd:sequence>
517           <xsd:attribute ref="fd:NodeName" use="required"/>
518        </xsd:complexType>
519     </xsd:element>
520     <xsd:element name="Collect">
521        <xsd:complexType>
522           <xsd:sequence>
523              <xsd:element ref="BulletPoint" maxOccurs="unbounded"/>
524           </xsd:sequence>
525           <xsd:attribute ref="fd:NodeName" use="optional"/>
526        </xsd:complexType>
527     </xsd:element>
528     <xsd:element name="BulletPoint">
529        <xsd:complexType>
530           <xsd:sequence>
531              <xsd:element ref="Text"/>
532           </xsd:sequence>
533           <xsd:attribute ref="fd:NodeName" use="optional"/>
534           <xsd:attribute ref="fd:Priority" use="optional" value="1"/>
535        </xsd:complexType>
536     </xsd:element>
```

(File: Bullets.xsd)

FIG. 5A

500

```
537      <xsd:element name="Emphasis">
538        <xsd:complexType>
539          <xsd:simpleContent>
540            <xsd:extension base="xsd:string">
541              <xsd:attribute ref="fd:NodeName" use="default" value="Bold"/>
542            </xsd:extension>
543          </xsd:simpleContent>
544        </xsd:complexType>
545      </xsd:element>
546      <xsd:element name="Regular">
547        <xsd:complexType>
548          <xsd:simpleContent>
549            <xsd:extension base="xsd:string">
550              <xsd:attribute ref="fd:NodeName" use="optional"/>
551            </xsd:extension>
552          </xsd:simpleContent>
553        </xsd:complexType>
554      </xsd:element>
556      <xsd:element name="Text">
557        <xsd:complexType>
558          <xsd:choice>
559            <xsd:sequence>
560              <xsd:element ref="Emphasis" minOccurs="0"/>
561              <xsd:element ref="Regular"/>
562            </xsd:sequence>
563            <xsd:element name="Reference" nullable="true">
564              <xsd:complexType>
565                <xsd:attribute ref="fd:Path" use="required"/>
566              </xsd:complexType>
567            </xsd:element>
568          </xsd:choice>
569          <xsd:attribute ref="fd:NodeName" use="optional"/>
570        </xsd:complexType>
571      </xsd:element>
572    </xsd:schema>
```

(File: Bullets.xsd)

FIG. 5B

600

```
<?xml version="1.0" encoding="UTF-8" ?>
<!-- Generated by brian@fulldegree.com on Jun 19, 2001 10am -->
<Container fd:NS="http://www.thenorthface.com"
    fd:Path="/TNF/Instance/Section/Categories/Tents/Expedition"
    fd:Version="1.0" fd:Language="English" fd:Name="VE-25"
    fd:NodeName="VE-25" xsi:noNamespaceSchemaLocation="Tent.xsd"
    xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-instance"
    xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
    xmlns:bullets="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
    xmlns:incl="http://www.fulldegree.com/Schema/System/Incl.xsd"
    xmlns:spec="http://www.fulldegree.com/Schema/Lib/Specifications.xsd"
    xmlns:bean="http://www.fulldegree.com/Schema/Lib/InfoBean.xsd"
    xmlns="http://www.fulldegree.com/Schema/Section/Container/Tent.xsd">
    <bullets:BulletPoints fd:NodeName="Key Features">
    <bullets:Collect fd:NodeName="VE-25 Features">
      <bullets:BulletPoint>
        <bullets:Text>
          <bullets:Emphasis>Polyester ripstop fly sheet</bullets:Emphasis>
          <bullets:Regular>is UV resistant and low absorbent plus seam-
              taped and polyurethane-coated for
              waterproofness</bullets:Regular>
        </bullets:Text>
      </bullets:BulletPoint>
      <bullets:BulletPoint>
        <bullets:Text>
          <bullets:Emphasis>Nylon ripstop canopy</bullets:Emphasis>
          <bullets:Regular>is lightweight and breathable with soothing color
              and partial translucence for long-term user
              satisfaction</bullets:Regular>
        </bullets:Text>
      </bullets:BulletPoint>
    </bullets:Collect>
  </bullets:BulletPoints>
```

(File: VE-25.xml)

FIG. 6A

600

```
634      <Specifications>
635        <Appearance>
636          <Measurements>
637            <Capacity fd:NodeName="Capacity">3</Capacity>
638          </Measurements>
639          <spec:Colors>
640            <spec:Color>
641              <spec:Component>Tent</spec:Component>
642              <bean:Color xsi:null="true" fd:NodeName="Gold/Black"
643                  fd:Section="true" fd:Link="SoftLink" fd:Name="722"
644                  fd:Path="/TNF/Instance/Section/ColorBeans" />
645            </spec:Color>
646          </spec:Colors>
647        </Appearance>
648      </Specifications>
649    </Container>
```

(File: VE-25.xml)

FIG. 6B

Page 9 of 18


700
Applet Viewer: com.fulldegree.display.FDApplet
Applet
Full Degree
Products
Publish
Setup
Admin
Save All
Help
Logoff
Products Browser
Categories
Outerwear
Handwear
Mens
Expedition
MountainLightP
AmaDablamPar
MountainLightP
Exploration
Womens
Tekware
Equipment
SleepingBags
Alpenglow
BaseCamp
Product
Name: MountainLightPantXCR
Location: Categories/Cute
General
Key Features
Basic
Specifications
Mountain Light Pant XCR Features
BulletPoint
Text
Bold
Hypalon crampon patches
Regular
provide puncture protection from crampo
BulletPoint
Text
Refresh
New
Copy
Move
Save
Preview
Edit Form
Reserve
Delete
Close
Done Reserve
702

FIG. 7A


720
Applet Viewer: com.fulldegree.display.FDApplet
Applet
Full Degree
Products
Publish
Setup
Admin
Save All
Help
Logoff
Products Browser
Categories
Outerwear
Handwear
Mens
Expedition
MountainLightP
AmaDablamPa
MountainLightP
Exploration
Womens
Tekware
Equipment
SleepingBags
Alpenglow
BaseCamp
Refresh
New
Copy
Move
Product
Name: MountainLightPantXCR
Location: Categories/Oute
General
Key Features
Basic
Specifications
Mountain Light Pant XCR Features
BulletPoint
Bold
Hypalon crampon patches
Regular
provide puncture protection from crampor
BulletPoint
Bold
Full-length, two-way covered side zips wi
and Velcro\R\ overflaps for ventilation, ea
Save
Preview
Edit Form
Reserve
Delete
Close
Done Reserve

FIG. 7B

800

```
<?xml version="1.0" encoding="UTF-8" ?>
<DisplaySpecD xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-instance"
    xmlns="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
    displayNamespace="http://www.fulldegree.com/Schema/Section/Containe
    r/Tent.xsd" xsi:noNamespaceSchemaLocation="../System/FullDegree.xsd"
    xmlns:tent="http://www.fulldegree.com/Schema/Section/Container/Tent.xs
    d" xmlns:incl="http://www.fulldegree.com/Schema/System/Incl.xsd"
    xmlns:any="http://www.fulldegree.com/Schema/Reserved/ReservedAny.xs
    d" xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
    Type="default" fd:Name="TentD"
    fd:Path="/FullDegree/Section/Container">
  <ElementD Name="any:Container" Edit="true"
      displayNamespace="http://www.fulldegree.com/Schema/Section/Contai
      ner/Tent.xsd">
    <Presenter Name="Container"
      ObjectName="com.fulldegree.display.presenters.TabbedTreePresent
      er" />
    <Actions>
      <Action Name="onLink" Return="DataTuple" Enabled="true"
          ShowInGroupPanel="false">
        <Parameter Name="Link" Source="(Presenter)Active.Selected[0]" />
        <Operation
            ObjectName="com.fulldegree.ejbs.actions.repository.FDReposito
            ryAction" Method="retrieveClientData" Return="DataTuple">
          <Argument Name="Link" />
        </Operation>
      </Action>
    </Actions>
  </ElementD>
  <ElementD Name="incl:Float" Hide="true" />
  <ElementD Name="tent:Capacity">
    <Editor Width="small" />
  </ElementD>
  <IncludeD
      displayNamespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
      />
</DisplaySpecD>
```

(File: TentD.xml)

FIG. 8

900

```
901  <?xml version="1.0" encoding="UTF-8" ?>
902  <DisplaySpecD xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-
903      instance"
904      xmlns="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
905      displayNamespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
906      xsi:noNamespaceSchemaLocation="../System/FullDegree.xsd"
907      xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
908      xmlns:bullets="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
909      Type="default" fd:Name="BulletsD" fd:Path="/FullDegree/Lib">
910     <ElementD Name="bullets:Regular">
911       <Editor Name="multiLineWidget" Height="medium" Width="large" />
912     </ElementD>
913     <ElementD Name="bullets:Text" />
914     <ElementD Name="bullets:Emphasis" FontStyle="Bold">
915       <Editor Width="large" />
916     </ElementD>
917  </DisplaySpecD>
```

(File: BulletsD.xml)

FIG. 9

Exhibit 1029, Page 13 of 18


1000
Applet Viewer: com.fulldegree.display.FDApplet
Applet
Full Degree
Home
Products
Projects
Setup
Help
Logoff
Category Tree
Categories
Footwear
Outerwear
SleepingBags
SnowSports
Tents
Expedition
VE-25
2 Meter Dome
Ambition 35
Mountain
1004
1002
1006
General
Key Features
Basic
Specifications
Common
MSRP $ 499
Activation Date 2001-01-23
Expiration Date 2005-01-23
Model Number 10302
Model Name VE-25
Thumbnail http://www.thenorthface.com/code/assets/products/product_assets/010302_
New
Copy
Move
Search
Save
Preview

FIG. 10


1100
Applet Viewer: com.fulldegree.display.FDApplet
Applet
Full Degree
Home
Products
Projects
Setup
Help
Logoff
Category Tree
For The North Face
Categories
Footwear
Outerwear
SleepingBags
SnowSports
Tents
Expedition
VE-25
2 Meter Dome
Ambition 35
Mountain
trial
1104
1102
1106
General
Key Features
Basic
Specifications
Common
VE-25 Features
BulletPoint
Text
Bold
Polyester ripstop fly sheet
Regular
is UV resistant and low absorbent plus seam-taped and polyuret
waterproofness
BulletPoint
Text
Bold
Nylon ripstop canopy
1108
1110
New
Copy
Move
Search
Save
Preview
Applet started.

FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17


Tents
1802
1800
BulletPoints
1810
VE-25
1812
General
1820
BulletPoints
1822
Description
1824
Specs
1826
Common
1828
MSRP
1830
Activation
Date
1832
Expiration
Date
1834

FIG. 18